ZOLL AED 3TMBLS





DESIGNED FOR PROFESSIONAL RESCUERS

SMART TECHNOLOGY. **UNRIVALED SUPPORT.**

Designed for professional rescuers, the ZOLL AED 3[™] BLS defibrillator provides in-depth rescue support for both adult and child victims of sudden cardiac arrest (SCA). The AED 3 BLS not only guides rescuers in delivering high-quality CPR, but also is one of the fastest AEDs in the industry at delivering a shock after chest compressions stop - two critical components to increasing a victim's chance of survival. ZOLL AEDs set the benchmark for reliability and dependability, empowering rescuers around the world to help save lives.

I


5.3


6

ZOLL

1:30

AED







The AED 3 BLS can be easily configured to show the CPR Dashboard[™] only, or both the CPR Dashboard and ECG. Depth and Rate indicators are highlighted in red if the compression rate is too slow and/or the depth is too shallow when in adult rescue mode.


The ZOLL AED 3™ BLS provides enhanced Real CPR Help® technology, which measures the actual depth and rate of each compression and displays it numerically on the CPR Dashboard™.

The CPR Dashboard also shows elapsed time, CPR cycle countdown, shocks delivered and ECG. The Real CPR Help integrated, real-time CPR feedback visibly and audibly shows rescuers when they are administering high-quality CPR.

The CPR Dashboard function also provides support for pediatric rescues by displaying CPR rate and depth values in pediatric mode. This information helps enable the rescuer to better gauge CPR compressions based on the size of the victim.

Enhanced Real CPR Help

"ZOLL defibrillators equipped with Real CPR Helpproviding real-time feedback for depth and rate of chest compressions – combined with training more than doubled the chance of survival from cardiac arrest."



CARDIAC ARREST SURVIVAL RATE

-Bobrow B, et al. Annals of Emergency Medicine¹

RapidShock[™] Analysis

The ZOLL RapidShock[™] Analysis technology enables the industry's shortest pause for analysis and the fastest time to shock for continuous lifesaving CPR. Minimizing pauses improves CPR quality and can improve patient outcomes from sudden cardiac arrest. RapidShock analysis can analyze a patient's heart rhythm in three seconds, enabling delivery of the shock in as little as five seconds.

> Studies demonstrate an association between a shorter duration of compression interruption for the perishock period and a greater likelihood of shock success, ROSC and survival to hospital discharge.

> > –2015 AHA Guidelines²



Integrated Pediatric Rescue

Pediatric rescue is made easier with ZOLL's unique CPR Uni-padz[™] electrodes and a child mode setting. Universal pad design provides rescuers with a single, confident solution to treat both adult and pediatric victims of SCA by using the same set of electrode pads and simply activating child mode. The CPR Dashboard[™] displays numerical CPR depth, rate, and cycle time for additional guidance to the rescuer.

ZOLL's CPR Uni-padz eliminate the hassle and additional expense of carrying separate pads for pediatric rescues. CPR Uni-padz last five years, the longest lasting in the industry, ensuring you will be ready for the rescue.





WiFi and USB Connectivity

Using ZOLL Online CaseReview[™], detailed rescue performance data can be exported quickly and easily via USB or transferred directly over WiFi. Data on CPR rate, depth, release velocity, and compression fraction can be evaluated and used to improve future responder performance. AED connectivity also enables fast and easy distribution of event and ECG data to medical personnel.

As part of the ZOLL RescueNet software product suite, CaseReview enables integration of data collected by other ZOLL devices used throughout the treatment process of the patient. Data from the ZOLL AED 3 and X-Series devices used during the rescue as well as data from a ZOLL R-Series used at the hospital can be aggregated and reviewed to provide a more comprehensive history of the patient's care.



CPR data collection, implementation of best practices, and continuous feedback on performance have been shown to be effective.

Rugged Design – Built to handle extreme environments

The ZOLL AED 3 BLS is designed to withstand the extreme environments in which professional rescuers work. With an IP (ingress protection) rating of 55 and a 1-meter drop test rating, the AED 3 BLS is highly impervious to moisture, dust, and rough handling.

– 2015 AHA Guidelines³



Setting new benchmarks in rescuer support

- Real CPR Help shows chest compressions during CPR and will let rescuers know when they're performing high-quality CPR at a rate of 100 to 120 compressions per minute and 5 cm to 6 cm deep (adult rescue mode only).
- Includes CPR Dashboard with patient ECG, compression rate and depth, CPR cycle countdown timer, shock count, and total elapsed time.
- Shock delivery in as little as five seconds after stopping CPR allows rescuers to deliver more continuous CPR.

¹Babrow B., et al. Annals of Emergency Medicine. July 2013; 62(1):47-56.31 ²AHA 2015 Guidelines: Pg: S420 ³AHA 2015 Guidelines: Pg: S423

- Universal CPR Uni-padz and child mode selection enable readiness for adult or child rescue.
- ZOLL's CaseReview allows you to capture key clinical event data from your AED as well as aggregate patient data from other ZOLL ALS and Hospital devices.
- Rugged design with an IP 55 rating and 1-meter drop test.

ZOLL MEDICAL CORPORATION

An Asahi Kasei Group Company | 269 Mill Road | Chelmsford, MA 01824 | 978-421-9655 | 800-804-4356 | www.zoll.com

Copyright © 2017 ZOLL Medical Corporation. All rights reserved. AED Plus, CaseReview, CPR Dashboard, Uni-padz, RapidShock, Real CPR Help, RescueNet, ZOLL, and ZOLL AED 3 are trademarks or registered trademarks of ZOLL Medical Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

ZOLL AED 3 is not available for sale in the United States. The product has not received regulatory clearance/approval by the Food and Drug Administration.

For subsidiary addresses and fax numbers, as well as other global locations, please go to www.zoll.com/contacts.

